

Obs	sex	shintyou	taijyuu	kyoui	jitaku	kodukai	carryer	tsuuwa
1	F	145.0	38	.	自宅生	10000		.
2	F	145.5	42	76	自宅生	0		3700
3	F	146.7	41	85	自宅生	10000	Vodafone	6000
4	F	148.0	42	.	自宅生	50000		.
5	F	148.0	43	80	自宅生	50000	DoCoMo	4000

The MEANS Procedure

Variable	N	Mean	Std Dev	Minimum	Maximum
shintyou	575	168.7570435	7.8268177	145.0000000	187.0000000
taijyuu	531	59.7519774	9.3748485	35.0000000	100.0000000
kodukai	505	40318.48	47180.99	0	350000.00
tsuuwa	293	5792.98	3915.82	0	30000.00

The UNIVARIATE Procedure

Variable: shintyou

Moments			
N	575	Sum Weights	575
Mean	168.757043	Sum Observations	97035.3
Std Deviation	7.82681767	Variance	61.2590749
Skewness	-0.4045469	Kurtosis	-0.118704
Uncorrected SS	16410553.1	Corrected SS	35162.709
Coeff Variation	4.63792059	Std Error Mean	0.32640086

Basic Statistical Measures			
Location		Variability	
Mean	168.7570	Std Deviation	7.82682
Median	170.0000	Variance	61.25907
Mode	170.0000	Range	42.00000
		Interquartile Range	11.00000

Tests for Location: $\mu_0=0$				
Test	Statistic		p Value	
Student's t	t	517.0239	Pr > t	<.0001
Sign	M	287.5	Pr >= M	<.0001
Signed Rank	S	82800	Pr >= S	<.0001


Quantiles (Definition 5)	
Level	Quantile
100% Max	187.0

Quantiles (Definition 5)	
Level	Quantile
99%	185.0
95%	180.0
90%	178.0
75% Q3	175.0
50% Median	170.0
25% Q1	164.0
10%	158.0
5%	155.0
1%	148.9
0% Min	145.0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
145.0	1	185.0	571
145.5	2	185.0	572
146.7	3	186.0	573
148.0	5	186.5	574
148.0	4	187.0	575

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	23	3.85	100.00


The UNIVARIATE Procedure
Variable: shintyou



```

.*****      12      |
.****        7       |
.**           4       |
.*           1       0
145+*        2       0
-----+-----+-----+-----+-----+-----+-----+
* may represent up to 2 counts
    
```

The UNIVARIATE Procedure
Variable: shintyou



The UNIVARIATE Procedure
Variable: taijyuu

Moments			
N	531	Sum Weights	531
Mean	59.7519774	Sum Observations	31728.3
Std Deviation	9.37484847	Variance	87.8877838
Skewness	0.68435169	Kurtosis	1.3941975
Uncorrected SS	1942409.19	Corrected SS	46580.5254
Coeff Variation	15.6896037	Std Error Mean	0.40683377

Basic Statistical Measures	
Location	Variability

Basic Statistical Measures			
Location		Variability	
Mean	59.75198	Std Deviation	9.37485
Median	60.00000	Variance	87.88778
Mode	60.00000	Range	65.00000
		Interquartile Range	12.00000


Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	146.8707	Pr > t	<.0001
Sign	M	265.5	Pr >= M	<.0001
Signed Rank	S	70623	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	100.0
99%	88.5
95%	75.0
90%	71.0
75% Q3	65.0
50% Median	60.0
25% Q1	53.0
10%	48.0
5%	46.0
1%	41.5
0% Min	35.0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
35	15	90	411
38	1	90	563
41	29	95	518
41	18	98	428
41	3	100	519


Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	67	11.20	100.00

The UNIVARIATE Procedure
Variable: taijyuu



The UNIVARIATE Procedure

Variable: tajyuu



The FREQ Procedure

sex	Frequency	Percent	Cumulative Frequency	Cumulative Percent
F	141	29.81	141	29.81
M	332	70.19	473	100.00

Frequency Missing = 125

jitaku	Frequency	Percent	Cumulative Frequency	Cumulative Percent
--------	-----------	---------	----------------------	--------------------

jitaku	Frequency	Percent	Cumulative Frequency	Cumulative Percent
下宿生	185	34.84	185	34.84
自宅生	346	65.16	531	100.00
Frequency Missing = 67				

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of sex by jitaku			
	sex	jitaku		Total
		下宿生	自宅生	
F	39	83	122	
	9.35	19.90	29.26	
	31.97	68.03		
	26.17	30.97		
M	110	185	295	
	26.38	44.36	70.74	
	37.29	62.71		
	73.83	69.03		
Total	149	268	417	
	35.73	64.27	100.00	
Frequency Missing = 181				